



Certificate of Analysis

Sample: AL30227003-006

Harvest/Lot ID: 213, 214

Batch#: 213, 214

Cultivation Facility:

Processing Facility:

Distributor Facility:

Source Facility:

Seed to Sale# yes

Batch Date: 09/24/22

Sample Size Received: 33 units

Total Amount: 8832 units

Retail Product Size: 3.5 gram

Ordered : 02/27/23

Sampled : 02/27/23

Completed: 03/15/23

Sampling Method: N/A

PASSED

Mar 15, 2023 | SKX LLC

1121 Boston Corners Rd
Millerton NY, NY, 12546, US

Pages 1 of 4


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
NOT TESTED

MISC.



Certificate of Analysis

PASSED

SKX LLC

1121 Boston Corners Rd
Millerton NY, NY, 12546, US
Telephone: 4134295509
Email: 2skyfarm@gmail.com

Sample : AL30227003-006
Harvest/Lot ID: 213, 214

Batch# : 213, 214
Sampled : 02/27/23
Ordered : 02/27/23

Sample Size Received : 33 units
Total Amount : 8832 units
Completed : 03/15/23
Sample Method : SOP Client Method

Page 2 of 4



Pesticides

PASSED

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result | Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|-----------------------|-----|-------|--------------|-----------|--------|---------------------------|-----|-------|--------------|-----------|--------|
| PYRETHRINS, TOTAL | 0.1 | ppm | 1 | PASS | <LOQ | PACLOBUTRAZOL | 0.1 | ppm | 0.4 | PASS | <LOQ |
| AZADIRACTIN | 0.1 | ppm | 1 | PASS | <LOQ | PERMETHRINS | 0.1 | ppm | 0.2 | PASS | <LOQ |
| INDOLE-3-BUTYRIC ACID | 0.1 | ppm | 1 | PASS | <LOQ | PHOSMET | 0.1 | ppm | 0.2 | PASS | <LOQ |
| MYCLOBUTANIL | 0.1 | ppm | 0.2 | PASS | <LOQ | PRALLETHRIN | 0.1 | ppm | 0.2 | PASS | <LOQ |
| PIPERONYL BUTOXIDE | 0.1 | ppm | 2 | PASS | <LOQ | PROCONAZOLE | 0.1 | ppm | 0.4 | PASS | <LOQ |
| ABAMECTIN B1A | 0.1 | ppm | 0.5 | PASS | <LOQ | PROPOXUR | 0.1 | ppm | 0.2 | PASS | <LOQ |
| ACEPHATE | 0.1 | ppm | 0.4 | PASS | <LOQ | PYRIDABEN | 0.1 | ppm | 0.2 | PASS | <LOQ |
| ACEQUINOXYL | 0.1 | ppm | 2 | PASS | <LOQ | SPINETORAM, TOTAL | 0.1 | ppm | 1 | PASS | <LOQ |
| ACETAMIPRID | 0.1 | ppm | 0.2 | PASS | <LOQ | SPINOSAD, TOTAL | 0.1 | ppm | 0.2 | PASS | <LOQ |
| ALDICARB | 0.1 | ppm | 0.4 | PASS | <LOQ | SPIROMESIFEN | 0.1 | ppm | 0.2 | PASS | <LOQ |
| AZOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <LOQ | SPIROTETRAMAT | 0.1 | ppm | 0.2 | PASS | <LOQ |
| CHLORMEQUAT CHLORIDE | 0.1 | ppm | 1 | PASS | <LOQ | SPIROXAMINE | 0.1 | ppm | 0.2 | PASS | <LOQ |
| BIFENAZATE | 0.1 | ppm | 0.2 | PASS | <LOQ | TEBUCONAZOLE | 0.1 | ppm | 0.4 | PASS | <LOQ |
| BIFENTHRIN | 0.1 | ppm | 0.2 | PASS | <LOQ | THIACLOPRID | 0.1 | ppm | 0.2 | PASS | <LOQ |
| CARBARYL | 0.1 | ppm | 0.2 | PASS | <LOQ | THIAMETHOXAM | 0.1 | ppm | 0.2 | PASS | <LOQ |
| COUMAPHOS | 0.1 | ppm | 1 | PASS | <LOQ | TRIFLOXYSTROBIN | 0.1 | ppm | 0.2 | PASS | <LOQ |
| CHLORPYRIFOS | 0.1 | ppm | 0.2 | PASS | <LOQ | CAPTAN * | 0.1 | ppm | 1 | PASS | <LOQ |
| DAMINOZIDE | 0.1 | ppm | 1 | PASS | <LOQ | CHLORDANE * | 0.1 | ppm | 1 | PASS | <LOQ |
| BOSCALID | 0.1 | ppm | 0.4 | PASS | <LOQ | CHLORFENAPYR * | 0.1 | ppm | 1 | PASS | <LOQ |
| CARBOFURAN | 0.1 | ppm | 0.2 | PASS | <LOQ | CYFLUTHRIN * | 0.1 | ppm | 1 | PASS | <LOQ |
| CHLORANTRANILIPROLE | 0.1 | ppm | 0.2 | PASS | <LOQ | CYPERMETHRIN * | 0.1 | ppm | 1 | PASS | <LOQ |
| CLOFENTEZINE | 0.1 | ppm | 0.2 | PASS | <LOQ | METHYL PARATHION * | 0.1 | ppm | 0.1 | PASS | <LOQ |
| DIAZINON | 0.1 | ppm | 0.2 | PASS | <LOQ | MGK-264 * | 0.1 | ppm | 0.2 | PASS | <LOQ |
| DICHLORVOS | 0.1 | ppm | 1 | PASS | <LOQ | PENTACHLORONITROBENZENE * | 0.1 | ppm | 1 | PASS | <LOQ |
| DIMETHOATE | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| DIMETHOMORPH | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |
| ETHOPROPHOS | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| ETOFENPROX | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| ETOXAZOLE | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| FENHEXAMID | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |
| FENOXYCARB | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| FENPYROXIMATE | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| FIPRONIL | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| FLONICAMID | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |
| FLUDIOXONIL | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| HEXYTHIAZOX | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |
| IMAZALIL | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| IMIDACLOPRID | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| KRESOXIM METHYL | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| MALATHION | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| METALAXYL | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| METHIOCARB | 0.1 | ppm | 0.2 | PASS | <LOQ | | | | | | |
| METHOMYL | 0.1 | ppm | 0.4 | PASS | <LOQ | | | | | | |
| MEVINPHOS | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |
| NALED | 0.1 | ppm | 0.5 | PASS | <LOQ | | | | | | |
| OXAMYL | 0.1 | ppm | 1 | PASS | <LOQ | | | | | | |

Analyzed by: 424, 297 **Weight:** 1.0195g **Extraction date:** 02/28/23 17:32:28 **Extracted by:** 395

Analysis Method: SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analytical Batch: AL000806PES **Reviewed On:** 03/13/23 16:24:51
Instrument Used: AL-131 - Vanquish **Batch Date:** 02/27/23 16:35:29
Running on: N/A
Dilution: 25
Reagent: 022723.R07; 040522.08; 102122.R01; 102122.01
Consumables: X0039CTBWP; 309646; 11152021; 292651; 9LCJ1611R; 12265-115CC-115; 239146; 257382/ 257796; 296123225; GD220004; 16398001
Pipette: AL-003 - Transf. S 2-20 ul; AL-009 - Transf. S 20-200 ul; AL-017 - Transf. S 100-1000 ul; AL-152 - Disp. S Org. 5-50 ml

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.

Analyzed by: 424, 735, 297 **Weight:** 1.0195g **Extraction date:** 02/28/23 17:32:28 **Extracted by:** 395

Analysis Method: SOP.T.40.154.NY
Analytical Batch: AL000833VOL **Reviewed On:** 03/15/23 15:50:55
Instrument Used: N/A **Batch Date:** 03/01/23 17:02:46
Running on: 03/13/23 08:29:58
Dilution: 25
Reagent: 022723.R07; 040522.08; 102122.R01; 102122.01
Consumables: X0039CTBWP; 309646; 11152021; 292651; 9LCJ1611R; 12265-115CC-115; 239146; 257382/ 257796; 296123225; GD220004; 16398001
Pipette: AL-003 - Transf. S 2-20 ul; AL-009 - Transf. S 20-200 ul; AL-017 - Transf. S 100-1000 ul; AL-152 - Disp. S Org. 5-50 ml

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.



Certificate of Analysis

PASSED

SKX LLC

1121 Boston Corners Rd
Millerton NY, NY, 12546, US
Telephone: 4134295509
Email: 2skyfarm@gmail.com

Sample : AL30227003-006
Harvest/Lot ID: 213, 214

Batch# : 213, 214
Sampled : 02/27/23
Ordered : 02/27/23

Sample Size Received : 33 units

Total Amount : 8832 units
Completed : 03/15/23

Sample Method : SOP Client Method

Page 3 of 4

| Microbial | | | | | | Mycotoxins | | | | | |
|--|-----|-------|-------------|-----------------|--------------|---|--------|-----------------------|--------|-------------|--------------|
| Analyte | LOQ | Units | Result | Pass / Fail | Action Level | Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA | 10 | CFU/g | <100 | TESTED | | AFLATOXIN G2 | 0.0025 | ppm | <LOQ | PASS | 0.02 |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 210 | TESTED | | AFLATOXIN G1 | 0.0025 | ppm | <LOQ | PASS | 0.02 |
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | | AFLATOXIN B2 | 0.0025 | ppm | <LOQ | PASS | 0.02 |
| SALMONELLA SPECIES | | | Not Present | PASS | | AFLATOXIN B1 | 0.0025 | ppm | <LOQ | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | OCHRATOXIN A+ | 0.01 | ppm | <LOQ | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | TOTAL AFLATOXINS (B1, B2, G1, G2) | 0.0025 | ppm | <LOQ | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | |
| Analyzed by: 294, 357, 600, 297 | | | | Weight: 0.9017g | | Extraction date: 02/28/23 14:13:41 | | Extracted by: 712,600 | | | |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.208.NY | | | | | | Analyzed by: 424, 297 | | | | | |
| Analytical Batch : AL000815MIC | | | | | | Weight: 1.0195g | | | | | |
| Instrument Used : AL-227 Tempo Reader,AL-228 Tempo Filler,AL-250 - Gene-Up | | | | | | Extraction date: 02/28/23 17:32:28 | | | | | |
| Running on : 03/01/23 10:02:12 | | | | | | Extracted by: 395 | | | | | |
| Dilution : N/A | | | | | | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY | | | | | |
| Reagent : 021323.R26; 021323.R27 | | | | | | Analytical Batch : AL000832MYC | | | | | |
| Consumables : 21/07/20; 40019 | | | | | | Instrument Used : N/A | | | | | |
| Pipette : AL-074 Fisher 1 -10 uL pipette; AL-070 - 20-200 ul pipette disp.; AL-078 - 2-20 ul pipette disp.; AL-069 100-1000 ul pipette disp.; AL-252 Bottletop dispenser | | | | | | Running on : 03/13/23 15:40:39 | | | | | |
| | | | | | | Batch Date : 03/01/23 17:02:43 | | | | | |
| | | | | | | Dilution : 25 | | | | | |
| | | | | | | Reagent : 022723.R07; 040522.08; 102122.R01; 102122.01 | | | | | |
| | | | | | | Consumables : X0039CTBWP; 309646; 11152021; 292651; 9LCJ1611R; 12265-115CC-115; 239146; 257382/ 257796; 296123225; GD220004; 16398001 | | | | | |
| | | | | | | Pipette : AL-003 - Transf. S 2-20 ul; AL-009 - Transf. S 20-200 ul; AL-017 - Transf. S 100-1000 ul; AL-152 - Disp. S Org. 5-50 ml | | | | | |
| | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. | | | | | |

| Heavy Metals | | | | | |
|---|------|-----------------|---------|------------------------------------|--------------|
| Metal | LOQ | Units | Result | Pass / Fail | Action Level |
| ANTIMONY | 0.1 | ug/g | <LOQ | PASS | 2 |
| ARSENIC | 0.1 | ug/g | <LOQ | PASS | 0.2 |
| CADMIUM | 0.1 | ug/g | <LOQ | PASS | 0.3 |
| CHROMIUM | 0.1 | ug/g | <LOQ | PASS | 110 |
| COPPER | 1 | ug/g | 27.4012 | PASS | 30 |
| LEAD | 0.1 | ug/g | <LOQ | PASS | 0.5 |
| MERCURY | 0.01 | ug/g | <LOQ | PASS | 0.1 |
| NICKEL | 0.1 | ug/g | 1.5597 | PASS | 2 |
| Analyzed by: 397, 424, 297 | | Weight: 0.4765g | | Extraction date: 03/01/23 13:04:13 | |
| Extracted by: 397,711 | | | | | |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY | | | | | |
| Analytical Batch : AL000810HEA | | | | | |
| Instrument Used : AL-079 (Inhalation) | | | | | |
| Running on : 03/01/23 17:54:26 | | | | | |
| Dilution : 500 | | | | | |
| Reagent : 051122.05; 021423.R02; 022823.R01; 022823.R07; 022323.R24 | | | | | |
| Consumables : X0039CTBWP; K200134R; 01422038; 2660615; 239146; 257382/ 257796; 12598-248CE-248E | | | | | |
| Pipette : AL-007 - Transf. S 20-200 uL; AL-013 - Transf. S 100-1000; AL-022 - Transf. S 1-10 ml; AL-180 - Bottletop dispenser 1-10mL; AL-197 - Single Channel Pipette, Adjustable 0.5-5mL; AL-232 - Bottletop Dispenser 0.2 - 2mL | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. | | | | | |



Certificate of Analysis

PASSED

SKX LLC

1121 Boston Corners Rd
Millerton NY, NY, 12546, US
Telephone: 4134295509
Email: 2skyfarm@gmail.com

Sample : AL30227003-006
Harvest/Lot ID: 213, 214
Batch# : 213, 214
Sampled : 02/27/23
Ordered : 02/27/23

Sample Size Received : 33 units
Total Amount : 8832 units
Completed : 03/15/23
Sample Method : SOP Client Method

Page 4 of 4



Filth/Foreign Material

PASSED



Moisture

PASSED

| Analyte | LOQ | Units | Result | P/F | Action Level |
|-------------------|-----|-------|--------|------|--------------|
| Stems (>3mm) | 1 | % | ND | PASS | 5 |
| Foreign Matter | 0.1 | % | ND | PASS | 2 |
| Mammalian excreta | 0.1 | mg | ND | PASS | 1 |

Analyzed by: 395, 424, 297 Weight: 14.3109g Extraction date: 02/28/23 15:27:58 Extracted by: 395

Analysis Method : SOP.T.40.090
Analytical Batch : AL000813FIL Reviewed On : 02/28/23 17:15:42
Instrument Used : AL-113 - Stereo Microscope/ZTX-3E Batch Date : 02/28/23 08:14:57
Running on : N/A

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Foreign matter inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.



Water Activity

PASSED

| Analyte | LOQ | Units | Result | P/F | Action Level |
|----------------|-----|-------|--------|------|--------------|
| Water Activity | 0.1 | aw | 0.4 | PASS | 0.65 |

Analyzed by: 330, 424, 297 Weight: 0.3333g Extraction date: 03/01/23 10:12:56 Extracted by: 719

Analysis Method : SOP.T.40.019
Analytical Batch : AL000809WAT Reviewed On : 03/01/23 16:07:02
Instrument Used : AL-110 - Water Activity Meter Batch Date : 02/27/23 16:38:06
Running on : N/A

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law

| Analyte | LOQ | Units | Result | P/F | Action Level |
|------------------|-----|-------|--------|------|--------------|
| Moisture Content | 5 | % | 10.4 | PASS | 15 |

Analyzed by: 683, 297 Weight: 0.489g Extraction date: 03/01/23 14:45:40 Extracted by: 683

Analysis Method : SOP.T.40.021
Analytical Batch : AL000808MOI Reviewed On : 03/01/23 15:09:36
Instrument Used : AL-108 - MOC63u UL,AL-109 - MOC63u UL Batch Date : 02/27/23 16:37:44
Running on : N/A

Dilution : N/A
Reagent : 010722.03; 091422.07
Consumables : 239146; 951; GD220004
Pipette : AL-220 - Transf. S 20-200uL

Moisture Content analysis utilizing loss-on-drying technology in accordance with 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law.